NASA Aviation Safety Program (AvSP) Veather Accident Prevention Project

Weather Accident Prevention Project (WxAP)

Weather Information Communications Element (WINCOMM)

WxAP Annual Review — Status November 20, 2002

Mike Jarrell
WINCOMM Element Manager (Acting)
NASA Glenn Research Center
Cleveland, OH 44135
(216) 433-8102
m.jarrell@grc.nasa.gov

System Elements



WxAP: Weather Information Communications





AWIN

Advanced Weather Information

WINCOMM

Communications
Networks &
Data Links

AWIN

Human Factors & Decision Aiding

WINCOMM Plan



WxAP: Weather Information Communications



Goal

Develop advanced communications and information technologies to enable the high quality and timely dissemination of strategic weather information between the flight deck and ground users.

Objectives

Develop Advanced Communication Datalinks

Develop Advanced Communication Networks

Challenges

Integration into the Existing NAS
Structure

Compatibility with Current and Planned Equipage

Provision of Value Encouraging Voluntary Equipage

Diverse Aircraft Base from General Aviation to Transport/Cargo

Approach

Define Weather Communication Requirements

Assess Current
Infrastructure. Identify
Technology Shortfalls
and Gaps

Apply/Develop Technologies to Satisfy Gaps Leveraging Broad Base Commercial Systems where Possible

Process

Requirements and Architectures


Modeling and Simulation

Technology Development and/or Validation

Development Process







Technical Development Scope

WxAP: Weather Information Communications



Far-Term (2007-2012)

National

Airline Commercial Transport

Low-end General Aviation

Oceanic / International

Flight Deck End-Users

Surface

Terminal Area

En-Route

Aviation Datalink Evolution



WxAP: Weather Information Communications




Existing Aircraft Datalinks

Small, Short Messages & Low Volume

Future Aircraft Datalinks

Large, Extended, Variable Length Messages & High Volume


In-Flight Weather Information



Primary Commercial Aviation Links








^{**} Aeronautical Radio Incorporated

^{***} Societe Internationale Telecommunications Aeronautique

Awareness of FAA Link Planning




Aviation Datalink Architectures





WxAP: Weather Information Communications





SATCOM-Only (Broadcast & 2-Way)





Terrestrial Air/Ground & Air/Air 2-Way

Terrestrial Air to Ground & Air to Air Broadcast

Architecture, Modeling & Simulation



WxAP: Weather Information Communications

NASA

Architecture Studies Completed this year

2003 TAMDAR 2007/2015 TAMDAR

2007/2015 FIS

ADS-B FIS Modeling & Simulation Completed this year

UAT

1090 Extended Squitter

VDLM4

Flight Information Services Datalink





- FAA & industry implementation
- G/A focused service volume
- 2 vendors (Honeywell & ARNAV)
- 5 year contract (FY00-04)
 - July 1999 Selection
 - July 2001 Initial rollout
- 2 national VHF frequencies/vendor
- Free text weather products
- Fee-based value/graphical products



ARNAV CRA





- Phase 1: Addressed near-term need for broadcast of graphical weather to the G/A cockpit
 - VHF-based line-of-sight broadcast datalink solutions
 - Completed in December 2000
 - Development leading to Flight Information Services Data Link (FISDL) award
- Phase 2: Addressed some of the gaps from Phase 1 (Spectrum, Bandwidth, Coverage)
 - Completion in December 2002
 - Focus on weather product development
- Significant Accomplishments
 - 1st generation development of weather to GA cockpit capability
 - Awarded FISDL policy contract to provide approved cockpit weather products

NavRadio (Honeywell) CRA



- Phase 1: Addressed near-term need for broadcast of graphical weather to the G/A cockpit
 - VHF-based line-of-sight broadcast datalink solutions
 - Completed in April 2001
 - Development of Proof of Concept VDL-Broadcast Radio leading to FISDL award
- Phase 2: Addressed some of the gaps from Phase 1 (Spectrum, Bandwidth, Coverage)
 - Completion in January 2004
 - Redesigned radio for 2-way communications
 - Developing VDLM2 on a chip
- Significant Accomplishments/Plans
 - 2-way ability, National FISDL Network, SARPS compliant radio
 - VDLM2 on a chip will reduce cost, size, weight, and power consumption






Satellite Weather Information System (SWIS)

WxAP: Weather Information Communications

Phase I: G/A Feasibility



Johannesburg, South Africa September, 1999



AfriStar Satellite



Patch Antenna Mounted to Cessna 172

Cooperative Agreement with Rockwell Collins, WorldSpace, Jeppesen, and American Airlines.



Internal Equipment (GPS, Laptop Computer, etc.)



Satellite


Receiver

SWIS / S-DARS Phase 2



WxAP: Weather Information Communications





Worldwide Transport

Technology development and operational evaluation of graphical weather to the cockpit via broadcast SATCOM for commercial transport oceanic operations



WorldSpace
AsiaStar Satellite

Satellite Receiving Antenna

Wireless Onboard LAN Radio

LAN Antenna

AsiaStar Antenna Beam Coverage

Pilot's Laptops with LAN cards




Satellite Receiver



System Configuration

General Aviation: Satellite-based Datalinks



Technology Validation



WxAP: Weather Information Communications





Flight Test Platforms

GRC Twin Otter

GRC LearJet



LaRC B757

Low-Altitude TAMDAR Reporting



WxAP: Weather Information Communications



Use aircraft operating below 20,000 ft altitude to sense and report

- Moisture
- Temperature
- Winds

to be used by

- Forecast models
- Weather briefers
- Controllers
- Other aircraft

MDCRS & AMDAR Coverage from Transports


20,000 ft. MSL



TAMDAR Coverage

Ground Level

TAMDAR Architecture



TAMDAR POC Flight

WxAP: Weather Information Communications





Flight Equipment Racks

Marion Delaware Powell Dublin Arlington Columbus Corners New Reading Junction City Ashville

Flight Tracks, 1/25/02

Orbcomm (Echoflight) & UAT Datalinks used

to transfer TAMDAR messages



TAMDAR Sensor



GRC Twin Otter

Mansfield Little Wash

FY02 WxAP Flight Campaign



WxAP: Weather Information Communications



Turbulence Prediction & Warning Systems (TPAWS)

Enhanced Turbulence In Situ Turbulence Detection Radar Algorithms Advisory System (ETDR)



Aviation Weather Information (AWIN)

Aviation Hazard Enhanced Weather Awareness System Radar (AHAS) (EWxR)

Weather Information Communications (WINCOMM)

> **Satellite Communication** (SATCOMM) Datalink

Broadband SATCOM Datalink



WxAP: Weather Information Communications



Ku-band SATCOM



Airborne Equipment Rack

Phased Array Antennas





LaRC B757

FY02 Flights

- ·Graphical weather images were received onboard the aircraft.
- Turbulence information was transmitted from and received onboard.

Summary





- Architecture studies have narrowed the field of datalink candidates capable of satisfying weather information communication requirements.
- Modeling in simulated operational environments continues to refine initial architecture studies and provide a sound basis for future focused efforts.
- Technology demonstrations have provided an early assessment of the ability of various datalinks to distribute weather information.
- Starting with FY03, WINCOMM will focus on specific scenarios and associated datalinks to address the remaining challenges and provide feasible solutions.